
## Adapter Flange DN 40 - DN 125



The *asa* suction unit (butterfly flange) is screwed to the *asa* adapter flange, which is welded to the tank. Due to low installation costs and compact design, purchasing as a suction units is cost effective. The adapter flange may only be welded with demounted butterfly flange.





## **Technical Data**

order number	description	Α	В	С	D	F	G	Н	J	K	weight
		[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
SDAET040K	adapter 40	110	49	25	130	14	M12 (4x)			$89 \pm 1$	1,85
SDAET063K	adapter 50 & 63	125	63	25	150	16	M12 (4x)			103 ± 1	2,45
SDAET080K	adapter 80		82	25	150	14	M16 (4x)	62	106,4	109 ± 1	2,14
SDAET100K	adapter 100		103	25	180	14	M16 (4x)	77,8	130	$139 \pm 1$	2,80
SDAET125K	adapter 125		128	25	205	14	M16 (4x)	92	152,4	164 ± 1	3,30

## Material

SDAET080K

SDAET100K

SDAET125K

	flange material	steel	
Deliver	y Condition		
	delivery condition	oiled	
Fits On			
	SDAET040K	SDA0040	
	SDAET063K	SDA0050 & SDA0063	

SDA0080

SDA0100

SDA0125



This data sheet and the corresponding scale drawings are to be used as a general guideline and technical overview of our products. Please contact us if more exact information is needed. As we are constantly improving our products, their characteristics, dimensions and weights may also change, although we do our best to incorporate these changes continually, as a assumes no liability for any information therein, any errors, omissions, misprints, nor any direct or indirect damages, losses or costs resulting therefrom. Any cooling performances and general technical values indicated in this catalogue are measured at a test bench according to as a testing procedures or calculated, based on such tests. They represent a basis for your product selection. Due to different conditions in testing and application environments the performance may also vary by + 15%. All sound values are determined in accordance with 1SO 9614-2, DIN EN ISO 11203 accuracy class 3 or Machinery Directive 2006/42/EG and are A-rated. At some of the performance data, possible differences to competition data are possible. Thereason to that are no existing standardized testing procedures on individual subjects, e.g. for cooling performance measurements. Therefore, we recommend all products to be checked under the system operating conditions. This is also true of vibrations and mechanical stress as well as for pressure peaks and thermal stress and any other relevant factors. General tolerances according to ISO 3002-1 (class M4-Fc). The tolerances of welding seams are defined by quality group D according to EN ISO 3002-1 (class M4-Fc). The tolerances of welding seams are defined by quality group D according to EN ISO 1004. If it is not specified on the actual scale drawing or data sheet. Any for itability is excluded for the information included in this datasheet. All details and calculation values are checked to the best of our ability, but these do not ensure any intrinsic product properties: due to the wide-ranging possible applications, it is advis